

chain nodes :

6 31 40

ring nodes :

1 2 3 4 5 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25
26 32 33 34 35 36 37

chain bonds :

3-31 4-6 5-40

ring bonds :

1-2 1-5 2-3 3-4 4-5 7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-16 13-14 14-15
15-16 17-18 17-22 18-19 19-20 20-21 21-22 21-23 22-26 23-24 24-25 25-26 32-33
32-37 33-34 34-35 35-36 36-37

exact/norm bonds :

1-2 1-5 3-31 4-5 4-6 5-40 32-33 32-37 33-34 34-35 35-36 36-37

exact bonds :

2-3 3-4

normalized bonds :

7-8 7-12 8-9 9-10 10-11 11-12 11-13 12-16 13-14 14-15 15-16 17-18 17-22
18-19 19-20 20-21 21-22 21-23 22-26 23-24 24-25 25-26

isolated ring systems :

containing 1 : 7 : 17 :

G1:Ph,[*1],[*2]

G2:H,Ak

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:CLASS 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom
22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 31:CLASS 32:Atom 33:Atom 34:Atom 35:Atom
36:Atom 37:Atom 38:CLASS 40:CLASS

| | | |
|---------------------|---|---|
| <u>NEWS 1</u> | Web Page URLs for STN Seminar Schedule - N. America | |
| <u>NEWS 2</u> | "Ask CAS" for self-help around the clock | |
| <u>NEWS 3</u> | Jul 12 | BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS |
| <u>NEWS 4</u> | Jul 30 | BEILSTEIN on STN workshop to be held August 24 in conjunction with the 228th ACS National Meeting |
| <u>NEWS 5</u> | AUG 02 | IFIPAT/IFIUDB/IFICDB reloaded with new search and display fields |
| <u>NEWS 6</u> | AUG 02 | CAplus and CA patent records enhanced with European and Japan Patent Office Classifications |
| <u>NEWS 7</u> | AUG 02 | The Analysis Edition of STN Express with Discover! (Version 7.01 for Windows) now available |
| <u>NEWS 8</u> | AUG 04 | Pricing for the Save Answers for SciFinder Wizard within STN Express with Discover! will change September 1, 2004 |
| <u>NEWS 9</u> | AUG 27 | BIOCOMMERCE: Changes and enhancements to content coverage |
| <u>NEWS 10</u> | AUG 27 | BIOTECHABS/BIOTECHDS: Two new display fields added for legal status data from INPADOC |
| <u>NEWS 11</u> | SEP 01 | INPADOC: New family current-awareness alert (SDI) available |
| <u>NEWS 12</u> | SEP 01 | New pricing for the Save Answers for SciFinder Wizard within STN Express with Discover! |
| <u>NEWS 13</u> | SEP 01 | New display format, HITSTR, available in WPIDS/WPINDEX/WPIX |
| <u>NEWS 14</u> | SEP 14 | STN Patent Forum to be held October 13, 2004, in Iselin, NJ |
| <u>NEWS 15</u> | SEP 27 | STANDARDS will no longer be available on STN |
| <u>NEWS 16</u> | SEP 27 | SWETSCAN will no longer be available on STN |
| <u>NEWS EXPRESS</u> | JULY 30 CURRENT WINDOWS VERSION IS V7.01, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004 | |
| <u>NEWS HOURS</u> | STN Operating Hours Plus Help Desk Availability | |
| <u>NEWS INTER</u> | General Internet Information | |
| <u>NEWS LOGIN</u> | Welcome Banner and News Items | |
| <u>NEWS PHONE</u> | Direct Dial and Telecommunication Network Access to STN | |
| <u>NEWS WWW</u> | CAS World Wide Web Site (general information) | |

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 14:19:55 ON 27 SEP 2004

FILE 'REGISTRY' ENTERED AT 14:20:03 ON 27 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file

eb

provided by InfoChem.

STRUCTURE FILE UPDATES: 26 SEP 2004 HIGHEST RN 752189-88-1
DICTIONARY FILE UPDATES: 26 SEP 2004 HIGHEST RN 752189-88-1

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when
conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more
information enter HELP PROP at an arrow prompt in the file or refer
to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>
L1 STRUCTURE UPLOADED

=> d 11
L1 HAS NO ANSWERS
L1 STR
 H 41 Ak 42




030

029


Page 2-A

h eb c g cg b cg

eb



Page 3-B



Page 4-B

VAR G1=35/13/24

VAR G2=41/42

VPA 2-29/30/31/32/33 S

NODE ATTRIBUTES:

HCOUNT IS E1

| | | | |
|--------|-------|----|----|
| HCOUNT | IS E1 | AT | 37 |
| HCOUNT | IS E1 | AT | 38 |
| HCOUNT | IS E1 | AT | 39 |
| HCOUNT | IS E1 | AT | 40 |
| NSPEC | IS R | AT | 1 |
| NSPEC | IS R | AT | 2 |
| NSPEC | IS R | AT | 3 |
| NSPEC | IS R | AT | 4 |
| NSPEC | IS R | AT | 5 |

h eb c g cg b cg

eb

```

NSPEC  IS C      AT    6
NSPEC  IS R      AT    7
NSPEC  IS R      AT    8
NSPEC  IS R      AT    9
NSPEC  IS R      AT   10
NSPEC  IS R      AT   11
NSPEC  IS R      AT   12
NSPEC  IS R      AT   13
NSPEC  IS R      AT   14
NSPEC  IS R      AT   15
NSPEC  IS R      AT   16
NSPEC  IS R      AT   17
NSPEC  IS R      AT   18
NSPEC  IS R      AT   19
NSPEC  IS R      AT   20
NSPEC  IS R      AT   21
NSPEC  IS R      AT   22
NSPEC  IS R      AT   23
NSPEC  IS R      AT   24
NSPEC  IS R      AT   25
NSPEC  IS R      AT   26
NSPEC  IS C      AT   27
NSPEC  IS R      AT   28
NSPEC  IS R      AT   29
NSPEC  IS R      AT   30
NSPEC  IS R      AT   31
NSPEC  IS R      AT   32
NSPEC  IS R      AT   33
NSPEC  IS C      AT   34
DEFAULT MLEVEL IS ATOM
MLEVEL IS CLASS AT   6 35 36 37 38 39 40 41 42
DEFAULT ECLEVEL IS LIMITED

```

GRAPH ATTRIBUTES:

```

RSPEC  1 7 17
NUMBER OF NODES IS  42

```

STEREO ATTRIBUTES: NONE

```

=> s 11
SAMPLE SEARCH INITIATED 14:31:29 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 434 TO ITERATE

```

```

100.0% PROCESSED      434 ITERATIONS          0 ANSWERS
SEARCH TIME: 00.00.01

```

```

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:    7431 TO      9929
PROJECTED ANSWERS:          0 TO       0

```

L2 0 SEA SSS SAM L1

```

=> s 11 full
THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 155.00 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N or END:y
FULL SEARCH INITIATED 14:31:34 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 9246 TO ITERATE

```

100.0% PROCESSED 9246 ITERATIONS
SEARCH TIME: 00.00.01

3 ANSWERS

L3 3 SEA SSS FUL L1

| | | |
|----------------------|------------|---------|
| => file hcaplus | SINCE FILE | TOTAL |
| COST IN U.S. DOLLARS | ENTRY | SESSION |
| FULL ESTIMATED COST | 162.98 | 163.19 |

FILE 'HCAPLUS' ENTERED AT 14:31:37 ON 27 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 27 Sep 2004 VOL 141 ISS 14
FILE LAST UPDATED: 26 Sep 2004 (20040926/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 13
L4 1 L3

=> d 14, ibib abs fhitstr, 1

L4 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN

| | |
|--|---|
| <input checked="" type="checkbox"/> Full | <input type="checkbox"/> (1998) |
| <input type="checkbox"/> Text | <input type="checkbox"/> References |
| ACCESSION NUMBER: | 2004:220202 HCAPLUS |
| DOCUMENT NUMBER: | 140:253561 |
| TITLE: | Preparation of 1,2-dihydropyrazol-3-ones and 3-alkoxy-1H-pyrazoles as TNF- α and interleukin lowering agents for the treatment of inflammation |
| INVENTOR(S): | Dominguez, Celia; Zhang, Dawei; Sham, Kelvin K. C.; Cao, Guo-qiang |
| PATENT ASSIGNEE(S): | Amgen Inc., USA |
| SOURCE: | PCT Int. Appl., 63 pp. |
| DOCUMENT TYPE: | Patent |
| LANGUAGE: | English |
| FAMILY ACC. NUM. COUNT: | 1 |
| <u>PATENT INFORMATION:</u> | |

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|--|-------|----------|-----------------|----------|
| ----- | ----- | ----- | ----- | ----- |
| WO 2004022055 | A1 | 20040318 | WO 2003-US28067 | 20030908 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, | | | | |

CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
 GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
 LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH,
 PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA,
 UG, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG,
 CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC,
 NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
 GW, ML, MR, NE, SN, TD, TG

US 2004058918

A1

20040325

US 2003-658298

20030908

PRIORITY APPLN. INFO.:

US 2002-409176P




P 20020909

OTHER SOURCE(S):

MARPAT 140:253561

GI

HO



AB The invention discloses the prepn. of title compds. I and II [wherein R1 = H or alkyl; R2 = alkyl, Ph, PhCH₂, (alkyl)Rc, (alkyl)Rf, or Rg; R3 and R4 = independently (un)substituted Ph, naphthyl, or heterocyclyl; Rc = independently (un)substituted heterocyclyl; Rf = substituted Rc; Rg = substituted alkyl, Ph, or PhCH₂; and pharmaceutically acceptable salts thereof] as tumor necrosis factor α (TNF α) and interleukin 1, 6, and 8 (IL-1, IL-6, and IL-8) inhibitors. For example, (4-chlorophenyl)acetic acid was condensed with pyridine-4-carbaldehyde in acetic anhydride and TEA to give 2-(4-chlorophenyl)-3-(pyridin-4-yl)acrylic acid, which was esterified with MeOH in thionyl chloride. Cyclization of the acrylate with hydrazine in EtOH, followed by Pd/C catalyzed redn., afforded 4-(4-chlorophenyl)-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one. Addn. of 4-oxopiperidine-1-carboxylic acid tert-Bu ester in chloroform using sodium triacetoxy boron hydride, hydrogenation using Pd/C in EtOH, and deprotection with HCl in ether and dioxane gave III. Selected compds. of the invention inhibited lipopolysaccharide-activated TNF prodn. in THP1 cells with IC₅₀ values of <20 μ M. Also disclosed is a method of prophylaxis or treatment of inflammation, rheumatoid arthritis, Paget's disease, osteoporosis, multiple myeloma, uveitis, acute or chronic myelogenous leukemia, pancreatic β cell destruction, osteoarthritis, rheumatoid spondylitis, gouty arthritis,

h

eb c g cg b cg

eb

inflammatory bowel disease, adult respiratory distress syndrome (ARDS), psoriasis, Crohn's disease, allergic rhinitis, ulcerative colitis, anaphylaxis, contact dermatitis, asthma, muscle degeneration, cachexia, Reiter's syndrome, type I diabetes, type II diabetes, bone resorption diseases, graft vs. host reaction, Alzheimer's disease, stroke, myocardial infarction, ischemia reperfusion injury, atherosclerosis, brain trauma, multiple sclerosis, cerebral malaria, sepsis, septic shock, toxic shock syndrome, fever, myalgias due to HIV-1, HIV-2, HIV-3, cytomegalovirus (CMV), influenza, adenovirus, the herpes viruses, or herpes zoster infection in a mammal comprising administering an effective amt. of I or II or their pharmaceutical comps. (no data).


IT 671781-23-0P, 1-(4-Aminocyclohexyl)-4-(naphthalen-2-yl)-5-(pyridin-4-yl)-1,2-dihydropyrazol-3-one

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(TNF α and/or IL inhibitor; prepn. of dihydropyrazolones and alkoxypyrazoles as TNF- α and interleukin lowering agents for treatment of inflammation and related conditions)

RN 671781-23-0 HCPLUS

CN 3H-Pyrazol-3-one, 1-(4-aminocyclohexyl)-1,2-dihydro-4-(2-naphthalenyl)-5-(4-pyridinyl)- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

19

THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file caold
COST IN U.S. DOLLARS

| SINCE FILE ENTRY | TOTAL SESSION |
|---------------------|------------------|
|---------------------|------------------|

FULL ESTIMATED COST

7.12 170.31

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

| SINCE FILE ENTRY | TOTAL SESSION |
|---------------------|------------------|
|---------------------|------------------|

CA SUBSCRIBER PRICE

-0.70 -0.70

FILE 'CAOLD' ENTERED AT 14:31:47 ON 27 SEP 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966

FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REG1stRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> d his

(FILE 'HOME' ENTERED AT 14:19:55 ON 27 SEP 2004)

FILE 'REGISTRY' ENTERED AT 14:20:03 ON 27 SEP 2004

L1 STRUCTURE UPLOADED
L2 0 S L1
L3 3 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 14:31:37 ON 27 SEP 2004

L4 1 S L3

FILE 'CAOLD' ENTERED AT 14:31:47 ON 27 SEP 2004

=> s l3
L5 0 L3

=>